

Product NO.	Product Parameter			
	Interpore distance/nm	Pore diameter/nm	Pore depth/nm	Size/mm
SP065-020-150	65	20	150	20*20
SP065-030-150	65	30	150	20*20
SP065-040-150	65	40	150	20*20
SP065-050-150	65	50	150	20*20
SP065-020-1000	65	20	1μm	20*20
SP065-035-1000	65	35	1μm	20*20
SP065-040-1000	65	40	1μm	20*20
SP065-020-5000	65	20	5μm	20*20
SP065-040-5000	65	40	5μm	20*20
SP065-025-15000	65	25	15μm	20*20
SP065-030-15000	65	30	15μm	20*20
SP065-035-15000	65	35	15μm	20*20
SP065-040-15000	65	40	15μm	20*20
SP065-030-50000	65	30	40~60μm	20*20
SP065-040-50000	65	40	40~60μm	20*20
SP100-040-150	100	40	150	20*20
SP100-050-150	100	55	150	20*20
SP100-070-150	100	70	150	20*20
SP100-080-150	100	80	150	20*20
SP100-070-500	100	70	500	20*20
SP100-080-500	100	80	500	20*20
SP100-040-1000	100	40	1μm	20*20
SP100-050-1000	100	50	1μm	20*20
SP100-060-1000	100	60	1μm	20*20
SP100-070-1000	100	70	1μm	20*20
SP100-030-5000	100	30	5μm	20*20
SP100-040-5000	100	40	5μm	20*20
SP100-050-5000	100	50	5μm	20*20
SP100-060-5000	100	60	5μm	20*20
SP100-070-5000	100	70	5μm	20*20
SP100-080-5000	100	80	5μm	20*20
SP100-050-50000	100	50	40~60μm	20*20
SP100-055-50000	100	55	40~60μm	20*20
SP100-060-50000	100	60	40~60μm	20*20
SP100-065-50000	100	65	40~60μm	20*20
SP100-070-50000	100	70	40~60μm	20*20
SP100-080-60000	100	80	40~60μm	20*20
SP125-090-080	125	70	80	20*20
SP125-040-150	125	40	150	20*20
SP125-050-150	125	50	150	20*20
SP125-060-150	125	60	150	20*20

SP125-070-150	125	70	150	20*20
SP125-075-150	125	75	150	20*20
SP125-080-150	125	80	150	20*20
SP125-100-150	125	100	150	20*20
SP125-050-500	125	50	500	20*20
SP125-070-500	125	70	500	20*20
SP125-100-500	125	100	500	20*20
SP125-040-1000	125	40	1μm	20*20
SP125-060-1000	125	60	1μm	20*20
SP125-065-1000	125	65	1μm	20*20
SP125-070-1000	125	70	1μm	20*20
SP125-090-1000	125	90	1μm	20*20
SP125-100-1000	125	100	1μm	20*20
SP125-050-5000	125	50	5μm	20*20
SP125-065-5000	125	65	5μm	20*20
SP125-070-5000	125	70	5μm	20*20
SP125-075-5000	125	75	5μm	20*20
SP125-080-5000	125	80	5μm	20*20
SP125-100-5000	125	100	5μm	20*20
SP125-060-50000	125	60	40~60μm	20*20
SP125-070-50000	125	70	40~60μm	20*20
SP125-080-50000	125	80	40~60μm	20*20
SP125-090-50000	125	90	40~60μm	20*20
SP450-100-300	450	100	300	20*20
SP450-270-300	450	270	300	20*20
SP450-320-300	450	320	300	20*20
SP450-120-450	450	120	450	20*20
SP450-170-450	450	170	450	20*20
SP450-180-450	450	180	450	20*20
SP450-220-450	450	220	450	20*20
SP450-250-450	450	250	450	20*20
SP450-300-450	450	300	450	20*20
SP450-320-450	450	320	450	20*20
SP450-360-450	450	360	450	20*20
SP450-380-450	450	380	450	20*20
SP450-100-500	450	100	500	20*20
SP450-200-500	450	200	500	20*20
SP450-300-500	450	300	500	20*20
SP450-400-500	450	400	500	20*20
SP450-300-900	450	300	900	20*20
SP450-100-2000	450	100	2μm	20*20
SP450-200-2000	450	200	2μm	20*20
SP450-320-2000	450	320	2μm	20*20
SP450-420-2000	450	420	2μm	20*20
SP450-120-2500	450	120	2.5μm	20*20

SP450-170-2500	450	170	2.5μm	20*20
SP450-260-2500	450	260	2.5μm	20*20
SP450-370-2500	450	370	2.5μm	20*20
SP450-150-3000	450	150	3μm	20*20
SP450-100-5000	450	100	5μm	20*20
SP450-170-5000	450	170	5μm	20*20
SP450-200-5000	450	200	5μm	20*20
SP450-300-5000	450	300	5μm	20*20
SP450-400-5000	450	400	5μm	20*20
SP450-100-30000	450	100	30μm	20*20
SP450-200-30000	450	200	30μm	20*20
SP450-300-30000	450	300	30μm	20*20
SP450-380-30000	450	380	30μm	20*20
SP450-400-30000	450	400	30μm	20*20
SP450-100-35000	450	100	35μm	20*20
SP450-200-35000	450	200	35μm	20*20
SP450-300-35000	450	300	35μm	20*20
SP450-400-35000	450	400	35μm	20*20
SP450-120S-50000	450	120	40~60μm	20*20
SP450-200S-50000	450	200	40~60μm	20*20
SP450-300S-50000	450	300	40~60μm	20*20
SP450-370S-50000	450	370	40~60μm	20*20